

CATALOG



Tires | Lubricants | Batteries | Tools and supplies | Car care products
Equipment | Brake pads | Filters | Car accessories | Wiper blades



Since 1960



81 88 81 81



05 40 00 08



CUSTOMER SERVICE:

81 81 81 11



SECTOR 32 - STREET 49
CHOUEIFAT - LEBANON



INFO@SAKA.COM.LB



WWW.SAKA.COM.LB



1 MOTOR & DRIVE SYSTEM



2 COOLING SYSTEM



3 AC SYSTEM



4 FUEL SYSTEM



5 BRAKE SYSTEM



6 MAINTENANCE & CARE



7 CAR BODY REPAIR



DEPOSIT CONTROL TECHNOLOGY


WEPP products with the DCT label contain a unique, specially developed technology, tailored to modern engines, cooling and injection systems as well as exhaust after treatment and transmissions.


This guarantees a controlled and thorough removal of harmful deposits. Effectively in all areas.

We offer various products with a profound effect from the tank to the injection system to the combustion chamber.

From the DPF to the EGR valve and turbocharger.
From the entire engine oil and cooling circuit.


**THE RIGHT PRODUCT FOR EVERY AREA
OF APPLICATION.**








1



MOTOR & DRIVE SYSTEM



2010 SF ENGINE SYSTEM CLEANER



ORDER NO.
2010_400



ORDER NO.
2010_SF

Flushes and cleans the entire oil cycle and frees the engine from harmful deposits and residues which are drained off with the used oil.

QUALIFIED FOR

All petrol and diesel engines with and without catalytic converter, turbo charger and diesel particulate filter.

PROBLEM SOLVING

Suitable for problem solving of delayed oil change and suspicious black sludge.

Perfect for the loss of compression in the piston rings and the rattle of hydraulic lifters.

BENEFITS

The fresh oil can develop its full efficiency and causes a low-wear engine run.

CHARACTERISTICS

100% Solvent-free

2110 ENGINE INTENSIVE CLEANER



ORDER NO.
2110

State-of-the-art additive packages

QUALIFIED FOR

Suitable for Petrol and diesel engines with and without turbocharger.

Due to high-quality oils and oil additives, driving operation is possible.

PROBLEM SOLVING

Effectively solves stuck piston rings and deposit on them, oil sludge and deposits from the entire oil system during driving operation.

Reduces the contamination of new oil due to less used oil residues inside the engine.



2011 OIL STOP ADDITIVE



ORDER NO.
2011



ORDER NO.
2011-300

To protect the engine from oil loss and high oil consumption.

QUALIFIED FOR

All commercially available semi-synthetic and fully synthetic engine oils, petrol and diesel engines with catalytic converter, diesel particulate filter and turbocharger.

PROBLEM SOLVING


Reduces and effectively prevents friction and wear.

Viscosity loss and noise development around the hydraulic tappets.

BENEFITS

Seals and valve shield caps are kept supple.

2111 CERAMIC ENGINE PROTECTION



ORDER NO.
2111

Improves engine elasticity, engine performance and cold start.

PROBLEM SOLVING

Prevents direct metal-to-metal contact and thus increases the service life of the units even during increased load.

Reduces wear and noise.

Protects in case of decreasing lubrication, e.g. due to oil loss.

BENEFITS

Finely dispersed, colloidal ceramic particles reduce friction, tolerate very high loads and are completely inert and have a very low friction coefficient.

2012 TRANSMISSION OIL ADDITIVE



100
ml

ORDER NO.
2012

Wear and long-term protection for extreme loads on manual and differential gears.

QUALIFIED FOR

Manual and differential gears

BENEFITS

Reduces differential transmission noise.
In the lifespan of the transmission system and optimises wear protection.

2013 ATF-CLEANER



300
ml

ORDER NO.
2013

The latest generation of ATF cleaner

QUALIFIED FOR

All automatic transmissions with and without regulated transducer lock-up clutch.
Universally usable.

PROBLEM SOLVING

Loosens or removes deposits caused by abrasion and oil ageing in automatic transmission systems.

BENEFITS

Better friction values at the switching elements and provides a maximum wear protection.



2014 ATF-PROTECTION



ORDER NO.
2014

Concentrate for all automatic transmissions

QUALIFIED FOR

Concentrate for all automatic transmissions with and without controlled transmission lock-up clutch. Universally usable.

BENEFITS

Improves the friction values at the switching elements and the function of the control valves. Supports the cleaning effect of automatic transmission fluids and achieves maximum wear and corrosion protection.

2015 POWER STEERING CLEANER



ORDER NO.
2015

Universal Power Steering Cleaner of the latest generation

QUALIFIED FOR

All hydraulic ATF steering gears. Loosens and removes deposits in pumps and steering cylinders. Universally usable.

BENEFITS

Improves function of the control valves and provides a maximum wear protection. Keeps dirt and friction residues dispersed.



2016 POWER STEERING PROTECTION



100
ml

ORDER NO.
2016


Excellent for use during maintenance
of all steering systems.

QUALIFIED FOR
All steering systems

PROBLEM SOLVING
Reduces foaming and oil loss.

BENEFITS
Improves friction values on the hydraulic
cylinders and the function of the control valves.
Supports friction effects and gives maximum
wear and corrosion protection.

2



COOLING SYSTEM

2020 COOLING SYSTEM



ORDER NO.
2020

Modern, highly effective, and durable protection.

QUALIFIED FOR

All new types of high-performance crossflow cooling systems with flow activators and low cooling water balance.

PROBLEM SOLVING

Prevents microleaks throughout the cooling system and »sweating« of gaskets.

BENEFITS

Fully effective until the next coolant change. Compatible with all conventional coolants.

2021 RADIATOR SEAL



ORDER NO.
2021

Preventive and professional protection after any repair or damage to the cooling system.

PROBLEM SOLVING

Permanent sealing of leaks in the cooling system. Secures the cooling circuit against damaged gaskets and protects against seal sweating.

BENEFITS

Compatible with all conventional coolants. No influence on the flow velocity.



2023 RADIATOR CLEANER



ORDER NO.
2023

Complete cleaning for the entire cooling system.

PROBLEM SOLVING

Dissolves and binds oil and greasy residues.
Infiltrates mud, lime, and corrosion deposits.

BENEFITS

Compatible with all metals, rubbers, and plastics.
Increases the functional and operational safety of the cooling system.
Solvent-free and contains no aggressive acids or alkalis.

2028 INTERCOOLER CLEANER



ORDER NO.
2028

Highly effective cleaner for external cleaning of the Intercooler.

PROBLEM SOLVING

Quickly and reliably removes external dirt like insect remains, dust and dirt.
Excellent aluminium corrosion protection.

BENEFITS

Protects also against salt water corrosion.
Ensures optimum engine performance.
For usage with high pressure cleaner.
Water mixing ratio 1:50



3



AC SYSTEM

2024-1000 KLIMAFRESH



ORDER NO.
20241000

Cleaner for air conditioning systems.

PROBLEM SOLVING

Removes bacteria, fungi, and germs from evaporator.
Forms an optimal protective film on the evaporator's surface and ensures clean air and optimum cooling performance.

BENEFITS

No disassembly of the air conditioner is required.

2025-A AIRFRESH

Ideal for used car
preparation!



ORDER NO.
2025-A



Air freshener for vehicle interiors and ventilation systems.

PROBLEM SOLVING

Refreshes and frees the vehicle interior from odors caused by fungi and bacteria and refreshes.

BENEFITS

It is not necessary to dismantle any parts of the ac system.



2027 / 2127 AIR CLEAN

100
ml

ORDER NO.
2027



100
ml

ORDER NO.
2127
FRAGRANCE-FREE



Suitable for
allergy sufferers!

Special active ingredient for cleaning plastic parts in ac systems.

PROBLEM SOLVING

Provides pleasant, long-lasting, fresh fragrance in the vehicle interior.

7020100 / 7020060 A/C SEAL LEAK STOP

100
ml

ORDER NO.
7020100



60
ml

ORDER NO.
7020060

A concentrated additive that stops leaks around seals and O-rings.

BENEFITS

Effective on all sealing materials.
Compatible with all A/C refrigerants and lubricants.
Harmless for compressor components.
Contains a UV leak indicator.

ACCESSORIES:

ADAPTER **WEPP 1706**

7021100 AC-LEAKSTOP COMPLETE



100 ml
ORDER NO.
7021100

Stops small leaks in the evaporator, condensers, seals, and hoses.

BENEFITS

Harmless for air conditioning and air conditioning service equipment and miscible with POE, PAG and mineral air conditioning oils. Seals the leakage in 15–30 minutes.

CHARACTERISTICS

Polymer-free
Does not harden.

ACCESSORIES:

ADAPTER **WEPP 1706**

7050001 AC-LEAK INDIKATOR



250 ml
ORDER NO.
7050250
SUFFICIENT FOR UP
TO 50 VEHICLES

sufficient for up
to 200 vehicles

1000 ml
ORDER NO.
7050001

Concentrated U/V dye.

PROBLEM SOLVING

Leaks are made visible with the help of UV light.

BENEFITS

Effective in R134a, R12 and R1234yf systems
Harmless for AC systems.

CHARACTERISTICS

Compatible with PAG, PAO, ester and mineral oil.
Sufficient for up to 200 vehicles.

ACCESSORIES:

ADAPTER **WEPP 1707**



7041236 HYBRID AC-OIL



ORDER NO.
7041236

Specially developed for use in ac systems
of hybrid vehicles.

FURTHER SPECIAL
PRODUCTS FOR
AIR CONDITIONING SYSTEMS
AVAILABLE ON REQUEST!




TEL +49 6648 628 990
WWW.WEPP.DE

PLEASE NOTE

The manufacturer's information regarding
the specifications and oil capacity of the
vehicle must be observed.




4



FUEL SYSTEM

2030 DIESEL INTENSIVE CLEANER



ORDER NO.
2030

Immediate system cleaning

QUALIFIED FOR

Diesel injection systems on vehicles with and without catalytic converter and diesel particulate filter.

PROBLEM SOLVING

Application with running engine dissolves and removes deposits in the entire diesel injection system.

Ensures fine atomization of the diesel fuel and prevents »engine knocking« through exact nozzle closing.

BENEFITS

Improves engine performance and ensures a smoother engine running.

2130 DIESEL AIR INTAKE CLEANER



ORDER NO.
2130

Diesel Air Intake Cleaner contains new, specially selected combinations of active ingredients.

QUALIFIED FOR

Intake system of diesel engines

PROBLEM SOLVING

Removes deposits and residues such as oil carbon and soot.

WEPP 2130 reduces the load on the particulate filter (DPF) and of the exhaust gas recirculation valve (EGR) as well as deposits in the intake system.

BENEFITS

It cleans the intake valves, improves combustion, optimises driving characteristics and reduces the fuel consumption.



2230 TURBO/AGR/AIR INTAKE CLEANER



ORDER NO.
2230

Highly effective cleaner.

QUALIFIED FOR

Universally applicable for cleaning of carbon deposits in the intake area of diesel and petrol engines, valves on direct petrol injectors and VTG turbochargers.

2031 THROTTLE BODY AND CARBURETOR CLEANER



ORDER NO.
2031

Special mixture of cleaning agents

QUALIFIED FOR

For the effective cleaning of carburetor and throttle valves. Excellent for cleaning idle controllers.

PROBLEM SOLVING

Removes deposits and fuel residues effectively outside, and inside of carburetor and throttle valve.

2032 DIESEL SYSTEM PROTECTION



ORDER NO.
2032



ORDER NO.
2032-300

Active system agent for modern high-pressure direct injection systems.

QUALIFIED FOR

Specially developed for modern common rail and unit injector systems.
Excellent effect even on older diesel vehicles.

PROBLEM SOLVING

Causes necessary water separation in the filter.
Effective wear protection of the high-pressure pump due to the lubricity improvers, especially with low-sulphur fuel.

BENEFITS

Increases the cetane number and prevents engine malfunctions through reliable protection against bacteria in the fuel.

CHARACTERISTICS

Meets the requirements of EURO 5 and EURO 6.

2032+ DIESEL COMPLETE CLEAN



ORDER NO.
2032+
FÜR CA. 60 LITER
KRAFTSTOFF

WEPP 2032+ keeps the entire fuel and exhaust system clean.

PROBLEM SOLVING

Removes mineral and metallic deposits inside the injector.
Removes carbon-based deposits from the high-pressure pump, injectors, combustion chamber and from the injection nozzles.
Reduces soot particles and lowers the exhaust gas values.

BENEFITS

Increases the cetane number by more than 4 points of 60 litres diesel fuel.
Optimizes the combustion and cold-start behaviour of the engine.
Ensures lubrication of the high-pressure pump and injectors with low-sulphur fuel.



2132 DPF /TURBO CLEANER



ORDER NO.
2132



ORDER NO.
2132-300



ORDER NO.
2132-150

OR AS SET IN A BOX 4 × 150 ML
ORDER NO.
2132-150 SET

For preventive use in vehicles with diesel particulate filters (DPF) that are frequently operated in city traffic or for short journeys.

QUALIFIED FOR

For use in all diesel engines, including common-rail and pump-injector engines. Also available as WEPP 2132-150

BENEFITS

Burns carbon and soot particles in and on the diesel particulate filter (DPF) at temperatures from 250°C–300 °C. Cleans turbocharger with VTG and in the exhaust gas recirculation valve (EGR). Removes carbon residues on the injector nozzle. Carbon will be burned without regeneration up to 10x faster than with regeneration. Reduces soot emissions and improves emission values. Extends the diesel fuel storage time and cleans the whole system from the tank to the combustion chamber. Prevents residues and deposits inside the injection system and on the injection nozzles. Keeps the engine clean, burns ecologically compatible, uses less diesel fuel. Protects the whole fuel system against corrosion. Does not increase the exhaust gas temperature.

2232 DPF DIRECT CLEANER



ORDER NO.
2232

Cleans and dissolves carbon in diesel particulate filters (DPF) without disassembly.

BENEFITS

Due to excellent wetting properties, the cleaner penetrates deep into the honeycomb structure of the diesel particulate filter and cleans particularly thoroughly. Preventive use in case of unfavorable driving profile. Non-flammable and metal-free.

ACCESSORIES:

WEPP 39000
PRESSURE GUN

ORDER NO: **39000**

WEPP 39001
REPLACEMENT PROBE

ORDER NO: **39001**

WEPP 39002
REPLACEMENT PRESSURE CUP, 1 LITER
ORDER NO: **39002**

39000 SPRAY GUN FOR WEPP 2232



ORDER NO.
39000

DPF-Cleaner.
For the application of WEPP 2232

ACCESSORIES:

WEPP 39001
REPLACEMENT PROBE ORDER NO. **39001**

WEPP 39002
REPLACEMENT PRESSURE CUP, 1 LITER
ORDER NO. **39002**

2033 VALVE INTENSIVE CLEANER



ORDER NO.
2033

Valve cleaning for optimum engine
performance.

BENEFITS

Cleans inlet valve guides and removes deposits
on inlet valves and valve seats.
Ensures precise valve seating and restores
even compression.



2034 INJECTION-CLEANER



ORDER NO.
2034



ORDER NO.
2034-300

For intensive cleaning of the injection system.

QUALIFIED FOR

WEPP 2034 is suitable for all petrol injection systems as well as for lead-free vehicles with and without CAT.

PROBLEM SOLVING

Selected combinations of active ingredients dissolve and disperse deposits and residues.

BENEFITS

Improves engine performance and increases operational safety.
Ensures uniform spraying pressure.
Burns with fewer pollutants.

2036 INJECTION SYSTEM PROTECTION



ORDER NO.
2036



ORDER NO.
2036-300

Active cleaning ingredient

QUALIFIED FOR

For modern lean mix and high performance for direct injection engines.

BENEFITS

The carrier medium fuel is activated by the new cleaning components.
WEPP 2036 acts directly in the injection and combustion area
Excellent cleaning performance even on older generations of vehicles.
Fast demulsifying in case of condensation.

CHARACTERISTICS

Meets EURO 5 and 6 requirements.
Highly hydrophobic.

2036+ GDI PROTECTION



ORDER NO.
2036+
SUFFICIENT FOR
UP TO 60 LITRES
OF FUEL.

Applicable in both GDI engines and intake port injectors.

QUALIFIED FOR

Specially developed to clean and protect the injector nozzles of GDI systems (petrol direct injection systems) to free them from contamination responsible for increased fuel consumption, reduced performance, poor throttle response and poor cold start behaviour.

PROBLEM SOLVING

Dissolves soiling in the combustion chamber and reduces engine knocking.

BENEFITS

WEPP 2036+ improves the friction values between piston and cylinder as well as the exhaust gas valves. The entire injection system is protected against corrosion.

CHARACTERISTICS

Sufficient for up to 60 litres of fuel.

2236 LPG SYSTEM CLEANER



ORDER NO.
2236

Special additive, directly for the gas tank.

QUALIFIED FOR

Applicable in partially and fully sequential, venturi injection systems in liquid or gaseous LPG injection.

PROBLEM SOLVING

Eliminates condensation humidity, resin, and lacquer residues.

Eliminates condensation humidity, sulphur, and ammonia.

BENEFITS

The entire LPG system is cleaned and kept permanently efficient.

The pressure reducer is kept clean and efficient. The injectors and solenoid valves of the system with gaseous or liquid LPG are optimally lubricated.



2536 HYBRID PETROL ADDITIVE



ORDER NO.
2536
SUFFICIENT FOR
50 LITRES OF FUEL

Especially for state-of-the-art hybrid engines with start/stop technology.

PROBLEM SOLVING

Removes deposits in the fuel and injection system. Reduces friction between piston and cylinder through a highly effective friction reducer.
Reduces fuel consumption.

BENEFITS

Can be used in conventional petrol injection engines as well as in petrol direct injection engines. Protects the system against corrosion. Stabilises the fuel against ageing and oxidation. Prevents the development of harmful acids.

CHARACTERISTICS

Sufficient for 50 litres of fuel.

2038 ACTIVE SOLVENT



ORDER NO.
2038

PROBLEM SOLVING

Removes caked-on solid gaskets such as cylinder and exhaust manifold gaskets. Dissolves even the most stubborn adhesive residues such as cyanoacrylate adhesives and anaerobic products. Removes cured sealants such as engine sealants.

BENEFITS

Problem-free dissolution of oil charcoal and oil charcoal-like compounds.



2039-150 DIESEL FLOW



150
ml

ORDER NO.
2039-150

4x
150 ml

150
ml

ORDER NO.
2039-150 SET

Diesel flow improver

QUALIFIED FOR

Suitable for all diesel engines with and without diesel particulate filter.

PROBLEM SOLVING

Reduces the development of soot.

BENEFITS

The functional safety of the diesel fuel is increased by 8°C (e.g. cold-resistant diesel fuel down to -22°C is increased to -30°C).
Improves the flowability and filterability of diesel fuel at low temperatures.
Increases the willingness to ignite.
Facilitates cold starts in winter.

CHARACTERISTICS

Also available in a set of 4!

5



BRAKE SYSTEM

2055 / 2057 BRAKE SYSTEM PROTECTION



Special agent for the brake system with noise damping and corrosion protection.

PROBLEM SOLVING

Prevents or eliminates brake squeal noises in the long term.

BENEFITS

Secures the functions of the entire braking system with an adhesion-active, pigment-containing and synthetic active ingredient. Resistant to road salt and splash water. Resistant to high and low temperatures.

2455 BRAKE AND SLIDER PASTE



WEPP Brake Paste 2455 is an inspection and repair active ingredient with high-tech function for the brake area.

ACCESSORIES:

BRUSH ADAPTER **2455_001**
METAL FOOT **2455_M-01**

AFTER OPENING, THE METAL CAN IS SOMEWHAT TOP-HEAVY, THEREFORE A METAL FOOT FOR THE CAN BE ORDERED.



255 BRAKE HI-TEC



ORDER NO.
255

For functional safety for the entire brake system due to an active way, pigment-containing special active ingredient.

BENEFITS

Sound-absorbing, anti-corrosive.
Functional safety up to the brake pad change.

2117 SAFETY CLEANER



ORDER NO.
2117

Cleaner of the latest technology.

BENEFITS

For quick assembly and flawless repair.
Removes silicone, resin, grease, oil incrustations, dust, and corrosion protection layers.
Sprays away oil, grease and dirt quickly and thoroughly.



2036

2036

EINSPRITZ
SYSTEM

EINSPRITZ
SYSTEM


WEPI

WEPI



2036

BENZINE SYSTEM
INJECTION SYSTEM
TRAITEMENT SYSTEM
ESSE
ΣΥΣΤΗΜΑΤΙΚΗ
BENZ



MAINTENANCE & CARE

D | WEPP 2036 E
Hochleistungs-Direkt-
sungs-komponenten
auch bei älteren Fahr-
(DIN 51599). Entsprechend
oder erschwerten Bedin-
und Eindringen in die
RUM/Arzt anrufen. KEIN
geeigneten Recycling- oder
rissiger Haut führen. Enthält
ten, Lösungsmittelnaphtha
Wasserstoff behandelte Leicht

NL | WEPP 2036 BENZINE S
reiniging en onderhoud van al
spelen benzinemotoren. Voldo
door de nieuwe reinigingscomp
kende reinigende prestaties voor
condenswater (DIN 51599). Voor
gen en zware bedrijfsomstandighe
liter brandstof. Kan dodelijk zijn als
middellijk een ANTIGIFCENTRUM/af
verpakking afvoeren naar een gesch
een droge of een gebarsten huid ver
cycloalkanen, <2% aromaten; Oplosm
ceerd; Destillaten (aardolie), met water

GB | WEPP 2036 INJECTION SYSTEM PR
and high-power direct fuel injection engi
dium fuel is activated by the new cleaning
Excellent cleaning properties, even with ele
case of condensate water (DIN 51599). Applic
Contents sufficient for up to 80L fuel. May be
mediately call a POISON CENTER/doctor. Do NOT
container to an appropriate recycling or disposal
cracking. Contains: hydrocarbons, C10-C13, n-alk
naphtha (petroleum), heavy, aromatic; Kerosene
Kerosene - unspecified

F | WEPP 2036 TRAITEMENT SYSTÉMATIQUE ES
pour le nettoyage et l'entretien de tous moteurs
geurs et moteurs à essence à injection directe. Tr
essence étant activé par les nouveaux composan
que dans la chambre de combustion. Excellent
génération. Il est fortement hydrophobique et dé
des panes de moteur. Emploi: mettre dans le rés
de fonctionnement dures. La quantité d'un paquet
en cas d'ingestion et de pénétration dans les yeux
atement un CENTRE ANTIDOT/ou un médecin. Ne
réceptacle dans une installation de recyclage ou d
provoquer dessèchement ou gerçures de la peau
nes, cycloalcanes, <2% aromatiques; Solvant nap
Distillats légers (pétrole), hydrotraités; Kérosène

GR | WEPP 2036 ΣΥΣΤΗΜΑΤΙΚΗ ΕΠΕΞΕΡΓΑΣΙΑ
προβλεπών για τον καθαρισμό και τη συντήρησ
κινητήρες μίξης και βενζινοκινητήρες με άμεσο
ποι φέρει τη Βενζίνη ενεργοποιείται από τα νέα
έγκυρος καθώς και στο θάλαμο καύσης. Αριστη
γενιάς. Είναι εξαιρετικά υδρόφοβο και απορροφ
51599). Αποτρέπει θλάδες του κινητήρα. Τρόπος
κατά τη διάρκεια θλάδων και αντίξων συνθηκών
Βενζίνης. Επιβλαβές για το περιβάλλον. Βλαβερό
και διείσδυσης στις αναπνευστικές οδούς. ΣΕ ΠΕ
ΔΙΑΝΗΤΗΡΙΑΣΕΩΝ/γιατρό. ΜΗΝ προκαλέσετε ε
περίεκτη σε κατάλληλο σημείο ανακύκλωσης ή
μπορεί να προκαλέσει ερυθρότητα δέρματος ή σ
ισοαλκάνια, κυκλοαλκάνια, <2% αρωματικά. Διαλ
καθορισμένο Αποστολέα (παιρτελίου), υδρογον

WERKSTATT PROFI PROGRAMM GmbH
Am Auacker 1 · D 36137 Großenluder-Bimbach
BELISSIMO GmbH · Dorfstrasse 50 · CH 4623 Ne
WEPP BENELUX B.V. · NL 5555 XC Vathen

2017 LEAK DETECTION SPRAY (liquids)



ORDER NO.
2017

Developed for the detection of the finest leaks.

BENEFITS

The application creates a closed layer on the substrate.
Leakage is transported to the surface by the coating.
The leakage is displayed on the surface after a short time as a dark contrast to the light coating.
The coating can then be removed with water.

CHARACTERISTICS

Biodegradable.
Consists exclusively of pure natural products.

2022 WINDSCREEN ANTIFREEZE



ORDER NO.
2022

Prevents the windscreen and headlight washer system from freezing.

QUALIFIED FOR

Suitable for fan nozzles and polycarbonate discs.

BENEFITS

Removes dirt effortlessly in winter road traffic.
Gives a clear view.
No ice formation when wiping the windscreen.
Lacquers and rubber are not attacked.



2026 WINDSCREEN CLEANER CONCENTRATE



50
ml

ORDER NO.
2026

Concentrate in a mixing ratio of 1:100.

PROBLEM SOLVING

For removing insects and dirt from windscreens and rear windows.

2040 ADHESIVE SYNTHESIS 2000



400
ml

ORDER NO.
2040

500
ml

ORDER NO.
2040-500

Transparent and slightly adhesive lubricant.

BENEFITS

Excellent lubricity properties.
Good low and high temperature resistance
with optimal penetration.

2041 ADHESIVE LUBRICANT



ORDER NO.
2041

Extremely adhesive, creep-effective, and pressure-resistant long-term adhesive lubricant.

QUALIFIED FOR

Suitable for lubricating components such as hinges, joints, linkages, bell cranks.

PROBLEM SOLVING

Against friction noise from door hinges, spring struts etc.
Protects against martens and corrosion.

BENEFITS

Highest lubricating activity and temperature stability. Resistant to hot and sprayed water as well as road salt. Good damping effect.

2042 TRANSPARENT FLOWING GREASE



ORDER NO.
2042

Transparent and semi-fluid grease spray with excellent lubricating effect and multi-functional application.

QUALIFIED FOR

For use on all joints, hinges, separating points, spring joints, closing wedges, sliding parts, etc.

PROBLEM SOLVING

Corrosion protection

BENEFITS

Excellent lubricating effect.
Good low and high temperature resistance with optimum penetration.



2043

SERVICING ADHESIVE OIL



ORDER NO.
2043

High performance maintenance oil of the latest formulation, with high penetration.

QUALIFIED FOR

Maintains and lubricates e.g., lock cylinders, joints, cable pulls, bolts, hinges etc.

BENEFITS

Provides optimum lubrication security at the inspection interval, especially where usual oil sprays are too thin.

2044

SERVICING GREASE WITH PTFE (white)



ORDER NO.
2044

Synthetic high-performance lubricant for all moving parts.

QUALIFIED FOR

For use on all joints, hinges, separating points, spring joints, closing wedges, sliding parts, etc. Corrosion protection.

BENEFITS

Ensures long-term lubrication at inspection intervals. Optimal high and low temperature properties. Compatible with rubber and metal. Universally applicable.

2045 SILICONE ANTI FRICTION GREASE SPRAY



ORDER NO.
2045

Transparent silicone spray

PROBLEM SOLVING

Against all noises in plastic against plastic parts as well as metal against rubber. Especially suitable against friction wear.

BENEFITS

Water-repellent barrier layer with best high and low temperature resistance.

CHARACTERISTICS

Colourless grease film

2246 SUPER RUST REMOVER-ACTIVE



ORDER NO.
2246

Modern active ingredient for fastest dismantling with long-term effect.

PROBLEM SOLVING

Quickly loosens corroded connections such as bolts, screws, and nuts. Infiltrates and penetrates the rust structure.

BENEFITS

Significantly facilitates subsequent dismantling due to the long-lasting effect of the rust remover. Protects effectively against oxidation and corrosion.

CHARACTERISTICS

Excellent creeping properties and high capillary action.



2047 SILICONE SPRAY



ORDER NO.
2047

Universal use on the vehicle.

PROBLEM SOLVING

Prevents rubber from freezing on metal parts.

BENEFITS

Maintains elasticity. Reduces cracks and brittleness.

CHARACTERISTICS

With water-repellent effect.

2048 RUST REMOVER MOS₂



ORDER NO.
2048

WEPP 2048 is an agent for temporary corrosion protection.

QUALIFIED FOR

On cars and for the maintenance of metallic surfaces of products made of steel and iron.

PROBLEM SOLVING

Loosens tight screw connections.

BENEFITS

Penetrates the finest cracks. Displaces water. Applicable in any position.

CHARACTERISTICS

High creep properties

2051 MAINTENANCE SPRAY



ORDER NO.
2051

High-quality care and maintenance fluid with PTFE for safety lubrication.

QUALIFIED FOR

For use e.g., in case of moisture on the car electrics, ignition and distributor.

PROBLEM SOLVING

Against squealing.

BENEFITS

Protects winches, fittings, hinges, and levers.

2053 INTERIOR SPRAY



ORDER NO.
2053

Fully synthetic care spray with anti-slip protection against friction and noise.

QUALIFIED FOR

All plastic surfaces in the vehicle

PROBLEM SOLVING

Separates and protects without greasing.
Protects against embrittlement, greying and UV radiation.

Regenerates all plastic surfaces in the vehicle.

BENEFITS

With antistatic effect and dust-repellent.
Sliding active at the seat belts.
Good lubricating effect for window guides and door rubbers.

CHARACTERISTICS

Free from grease, oil and silicone.



2054 OIL SPRAY WITH PTFE



ORDER NO.
2054

Synthetic lubricant with extremely high PTFE content for long-lasting lubrication.

QUALIFIED FOR

Wide range of applications e.g., hinges, locks, sliding roofs and seat rails.

BENEFITS

Uncoloured and leaves no stains.

2056 GREASE SPRAY WITH PTFE



ORDER NO.
2056

Transparent and non-toxic grease with extremely high PTFE content.

QUALIFIED FOR

Optimum lubricating effect for all heavily stressed parts.

BENEFITS

Excellent resistance to water and road salt.

2059 COPPER SPRAY



ORDER NO.
2059

For lubrication and assembly.

PROBLEM SOLVING

Prevents squealing of the brakes.
Prevents burning.

BENEFITS

Highly loadable

CHARACTERISTICS

Temperature resistant from -100 °C to +1100 °C.

2060 BRAKE CLEANER ACETONE-FREE



ORDER NO.
2060



ORDER NO.
2063
CANISTER

For quick assembly and flawless repair.

BENEFITS

Cleans and degreases.
Sprays away oil, grease, and dirt quickly and thoroughly.
Treated parts are absolutely clean.

CHARACTERISTICS

Also available as 30 liter in canister.
Acetone-free



2061 MULTI-COMPLEX CLEANER



ORDER NO.
2061

Highly effective active foam.

QUALIFIED FOR

For glare-free car windows.
For all glass surfaces, plastics and upholstery

PROBLEM SOLVING

Dissolves and removes silicone, nicotine, oil and greasy dirt.

BENEFITS

With excellent wetting and cleaning effect.
Reaches even hard-to-reach places and enables a convenient, economical, fast and streak-free cleaning.

2070 ELECTRONICS SPRAY



ORDER NO.
2070

For maintenance and care of electrical contacts.

QUALIFIED FOR

Cleans contacts, terminal and plug connections and ensures contact closure.

BENEFITS

This ensures full current passage and provides optimum protection against oxidation for non-ferrous metals.

CHARACTERISTICS

Neutral against electro-insulating materials, elastomers and lacquers.
Not hygroscopic.

2071 ELECTRONICS CLEANER SPRAY



ORDER NO.
2071

Dielectric deoxidiser

QUALIFIED FOR

For all electrical and electronic equipment.

PROBLEM SOLVING

Degreases and deoxidises.

BENEFITS

Can be used immediately without special preparation.

2075 ENGINE STARTER



ORDER NO.
2075

Facilitates the starting of petrol and diesel engines.

QUALIFIED FOR

Petrol and diesel engines,

BENEFITS

Protects the engine and battery.



2076 BATTERY PROTECTION SPRAY



ORDER NO.
2076

For cleaning and care

QUALIFIED FOR

Terminal clamps on motor vehicles.

PROBLEM SOLVING

Prevents corrosion and wear.

BENEFITS

Guarantees optimum current flow and wear protection.

CHARACTERISTICS

Acid-free!

2094 TYRE SHINE



ORDER NO.
2094

Cleans, protects, and refurbishes tyres in one step.

BENEFITS

Leaves an intense brilliant shine after treatment. Can also be used on plastic surfaces.



2095 RAPID GASKET SEALANT



200
ml

ORDER NO.
2095

200
ml

ORDER NO.
2195
GREY

WEPP 2095 Rapid gasket sealant is a black, particularly high-quality, elastic, and easy-to-apply casing sealant.

BENEFITS

It serves as a replacement for the most types of solid seals.

CHARACTERISTICS

Also available in grey order no. 2195

2096 LEAK DETECTION SPRAY (air)



400
ml

ORDER NO.
2096

For effortless detection of leaks.

QUALIFIED FOR

In pressurised fittings, flange connections, pipelines and welded seams.

BENEFITS

Non-flammable. Anti-corrosive.

CHARACTERISTICS

Non-toxic.
Environmentally friendly.
Skin-friendly.
DVGW-tested.

7



CAR BODY REPAIR

2077 / 2078 WINDOW ADHESIVE HM/NL



ORDER NO.
2077



ORDER NO.
2078

Also available as SET:

2177 / 2178 WINDOW ADHESIVE SET HM/NL



ORDER NO.
2177



ORDER NO.
2178

Moisture-curing, one-component, and highly modulating direct glazing sealant.

QUALIFIED FOR

For the windscreen change

BENEFITS

Vehicle ready to drive
without airbag after 1 hour,
with Airbag after 4 hours.

CHARACTERISTICS

Base: Polyurethane.
TÜV-tested.

THE SET INCLUDES:

- > 1 pc. Wepp 2077
windscreen adhesive HM/NL (310 ml)
or
- > 1 pc. WEPP 2078,
- > 1 pc. Wepp 2181 Primer (10 ml),
- > 1 pc. Wepp windscreen cleaner (20 ml),
with
- > Cleaning cloth,
- > 2 pcs. nozzles,
- > 1 pc. Applicator



21290 / 21400 WINDSCREEN ADHESIVE ECONOMIC



ORDER NO.
21290
(CARTRIDGE)



ORDER NO.
21400

Single-component adhesive

QUALIFIED FOR

Suitable for all vehicle types.
For direct glazing of front, rear and side windows into the body of motor vehicles.

BENEFITS

Without primer. Quick readiness for use.

CHARACTERISTICS

Isocyanate-free.
TÜV crash tested.

281000 MULTI-BATTERY SQUEEZE GUN



ORDER NO.
281000

The Multi Battery Squeeze Gun

QUALIFIED FOR

Suitable for tubular bags up to 400 ml,
as well as 290- & 310-ml cartridges.

2181 MULTIACTIVE PRIMER

30
ml

ORDER NO.
2181



For adhesion promotion on panes with and without ceramic screen-printing coating with excellent UV protection.

QUALIFIED FOR

For activating PU-RIM and PVC coatings.

2083 GLASS AND PAINT CLEANER

1000
ml

ORDER NO.
2083



Highly effective and universally applicable cleaner.

QUALIFIED FOR

For bonding and sealing work.

BENEFITS

Does not attack the paint.
Short exposure time.

CHARACTERISTICS

Free from chlorinated hydrocarbons.



2089 SEAM SEALING



300
ml

ORDER NO.
2089

Isocyanate- and solvent-free sealant

QUALIFIED FOR

For waterproofing on all metallic and painted substrates as well as on plastics.

BENEFITS

Humidity curing.

2090 METAL PROTECTION SPRAY



400
ml

ORDER NO.
2090

Novel metal protection spray based on high-quality zinc-aluminium.

BENEFITS

Fast drying.
High adhesion.

2091 UNDERBODY PROTECTION (black matt)



ORDER NO.
2091

Underbody protection

QUALIFIED FOR
Sills and spoilers

PROBLEM SOLVING
Protects sills and spoilers from stone chips.
Protection against corrosion.

BENEFITS
Can be overpainted without problems and
is clean to apply.
High stability with excellent anti-drumming
effect.

2092 CAVITY PROTECTION SPRAY



ORDER NO.
2092

Cavity sealant (transparent)

PROBLEM SOLVING
Provides protection against rust-through
and corrosion.

BENEFITS
Infiltrates water and keeps condensation
away from metals.
For prevention against rust from the inside.



2098 BODY-WORK SPRAY GLUE



ORDER NO.
2098

Film-forming adhesive with high instant bonding strength.

QUALIFIED FOR

Specially adapted to automotive requirements. Bonds fabric, foam rubber, leather, cardboard, sky cloth, artificial leather/fabric coverings, vinyl, insulation mats and rubber to each other, as well as to painted/unpainted metal and wood.

BENEFITS

High instant bonding strength.

2099 SUPER ADHESIVE SEALANT



ORDER NO.
2099

Power adhesive

QUALIFIED FOR

High-quality bonding and sealing.

BENEFITS

With a wide adhesion spectrum (without primer)

2199
2-COMPONENT POLYURETHANE
ADHESIVE

50
ml

ORDER NO.
2199



2-component polyurethane adhesive

—
QUALIFIED FOR
Bonding car body parts.

ACCESSORIES:
21991 10-PACK MIXING TUBES